

---

# Amazon Inspector

## **API Reference**

**API Version 2016-02-16**

---

## **Amazon Inspector: API Reference**

Copyright © 2017 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

## Table of Contents

Welcome .....	1
Actions .....	2
AddAttributesToFindings .....	4
Request Syntax .....	4
Request Parameters .....	4
Response Syntax .....	4
Response Elements .....	4
Errors .....	5
Example .....	5
See Also .....	6
CreateAssessmentTarget .....	7
Request Syntax .....	7
Request Parameters .....	7
Response Syntax .....	7
Response Elements .....	7
Errors .....	7
Example .....	8
See Also .....	9
CreateAssessmentTemplate .....	10
Request Syntax .....	10
Request Parameters .....	10
Response Syntax .....	11
Response Elements .....	11
Errors .....	11
Example .....	11
See Also .....	12
CreateResourceGroup .....	13
Request Syntax .....	13
Request Parameters .....	13
Response Syntax .....	13
Response Elements .....	13
Errors .....	13
Example .....	14
See Also .....	15
DeleteAssessmentRun .....	16
Request Syntax .....	16
Request Parameters .....	16
Response Elements .....	16
Errors .....	16
Example .....	17
See Also .....	17
DeleteAssessmentTarget .....	18
Request Syntax .....	18
Request Parameters .....	18
Response Elements .....	18
Errors .....	18
Example .....	19
See Also .....	19
DeleteAssessmentTemplate .....	20
Request Syntax .....	20
Request Parameters .....	20
Response Elements .....	20
Errors .....	20
Example .....	21

---

See Also .....	21
DescribeAssessmentRuns .....	22
Request Syntax .....	22
Request Parameters .....	22
Response Syntax .....	22
Response Elements .....	23
Errors .....	23
Example .....	23
See Also .....	25
DescribeAssessmentTargets .....	26
Request Syntax .....	26
Request Parameters .....	26
Response Syntax .....	26
Response Elements .....	26
Errors .....	27
Example .....	27
See Also .....	28
DescribeAssessmentTemplates .....	29
Request Syntax .....	29
Request Parameters .....	29
Response Syntax .....	29
Response Elements .....	29
Errors .....	30
Example .....	30
See Also .....	31
DescribeCrossAccountAccessRole .....	32
Response Syntax .....	32
Response Elements .....	32
Errors .....	32
Example .....	32
See Also .....	33
DescribeFindings .....	34
Request Syntax .....	34
Request Parameters .....	34
Response Syntax .....	34
Response Elements .....	35
Errors .....	35
Example .....	36
See Also .....	37
DescribeResourceGroups .....	38
Request Syntax .....	38
Request Parameters .....	38
Response Syntax .....	38
Response Elements .....	38
Errors .....	39
Example .....	39
See Also .....	40
DescribeRulesPackages .....	41
Request Syntax .....	41
Request Parameters .....	41
Response Syntax .....	41
Response Elements .....	41
Errors .....	42
Example .....	42
See Also .....	43
GetTelemetryMetadata .....	44
Request Syntax .....	44

---

Request Parameters .....	44
Response Syntax .....	44
Response Elements .....	44
Errors .....	44
Example .....	45
See Also .....	48
ListAssessmentRunAgents .....	49
Request Syntax .....	49
Request Parameters .....	49
Response Syntax .....	49
Response Elements .....	50
Errors .....	50
Example .....	51
See Also .....	54
ListAssessmentRuns .....	55
Request Syntax .....	55
Request Parameters .....	55
Response Syntax .....	56
Response Elements .....	56
Errors .....	56
Example .....	57
See Also .....	57
ListAssessmentTargets .....	58
Request Syntax .....	58
Request Parameters .....	58
Response Syntax .....	58
Response Elements .....	58
Errors .....	59
Example .....	59
See Also .....	60
ListAssessmentTemplates .....	61
Request Syntax .....	61
Request Parameters .....	61
Response Syntax .....	62
Response Elements .....	62
Errors .....	62
Example .....	62
See Also .....	63
ListEventSubscriptions .....	64
Request Syntax .....	64
Request Parameters .....	64
Response Syntax .....	64
Response Elements .....	65
Errors .....	65
Example .....	65
See Also .....	66
ListFindings .....	67
Request Syntax .....	67
Request Parameters .....	67
Response Syntax .....	68
Response Elements .....	68
Errors .....	68
Example .....	69
See Also .....	69
ListRulesPackages .....	70
Request Syntax .....	70
Request Parameters .....	70

Response Syntax .....	70
Response Elements .....	70
Errors .....	71
Example .....	71
See Also .....	72
ListTagsForResource .....	73
Request Syntax .....	73
Request Parameters .....	73
Response Syntax .....	73
Response Elements .....	73
Errors .....	73
Example .....	74
See Also .....	74
PreviewAgents .....	76
Request Syntax .....	76
Request Parameters .....	76
Response Syntax .....	76
Response Elements .....	76
Errors .....	77
Example .....	77
See Also .....	78
RegisterCrossAccountAccessRole .....	79
Request Syntax .....	79
Request Parameters .....	79
Response Elements .....	79
Errors .....	79
Example .....	79
See Also .....	80
RemoveAttributesFromFindings .....	81
Request Syntax .....	81
Request Parameters .....	81
Response Syntax .....	81
Response Elements .....	81
Errors .....	82
Example .....	82
See Also .....	83
SetTagsForResource .....	84
Request Syntax .....	84
Request Parameters .....	84
Response Elements .....	84
Errors .....	84
Example .....	85
See Also .....	85
StartAssessmentRun .....	87
Request Syntax .....	87
Request Parameters .....	87
Response Syntax .....	87
Response Elements .....	87
Errors .....	87
Example .....	88
See Also .....	89
StopAssessmentRun .....	90
Request Syntax .....	90
Request Parameters .....	90
Response Elements .....	90
Errors .....	90
Example .....	90

---

See Also .....	91
SubscribeToEvent .....	92
Request Syntax .....	92
Request Parameters .....	92
Response Elements .....	92
Errors .....	92
Example .....	93
See Also .....	93
UnsubscribeFromEvent .....	95
Request Syntax .....	95
Request Parameters .....	95
Response Elements .....	95
Errors .....	95
Example .....	96
See Also .....	96
UpdateAssessmentTarget .....	98
Request Syntax .....	98
Request Parameters .....	98
Response Elements .....	98
Errors .....	98
Example .....	99
See Also .....	99
Data Types .....	101
AgentAlreadyRunningAssessment .....	103
Contents .....	103
See Also .....	103
AgentFilter .....	104
Contents .....	104
See Also .....	104
AgentPreview .....	105
Contents .....	105
See Also .....	105
AssessmentRun .....	106
Contents .....	106
See Also .....	107
AssessmentRunAgent .....	108
Contents .....	108
See Also .....	108
AssessmentRunFilter .....	110
Contents .....	110
See Also .....	111
AssessmentRunNotification .....	112
Contents .....	112
See Also .....	112
AssessmentRunStateChange .....	113
Contents .....	113
See Also .....	113
AssessmentTarget .....	114
Contents .....	114
See Also .....	114
AssessmentTargetFilter .....	115
Contents .....	115
See Also .....	115
AssessmentTemplate .....	116
Contents .....	116
See Also .....	116
AssessmentTemplateFilter .....	118

---

Contents .....	118
See Also .....	118
AssetAttributes .....	119
Contents .....	119
See Also .....	119
Attribute .....	120
Contents .....	120
See Also .....	120
DurationRange .....	121
Contents .....	121
See Also .....	121
EventSubscription .....	122
Contents .....	122
See Also .....	122
FailedItemDetails .....	123
Contents .....	123
See Also .....	123
Finding .....	124
Contents .....	124
See Also .....	125
FindingFilter .....	127
Contents .....	127
See Also .....	128
InspectorServiceAttributes .....	129
Contents .....	129
See Also .....	129
ResourceGroup .....	130
Contents .....	130
See Also .....	130
ResourceGroupTag .....	131
Contents .....	131
See Also .....	131
RulesPackage .....	132
Contents .....	132
See Also .....	132
Subscription .....	133
Contents .....	133
See Also .....	133
Tag .....	134
Contents .....	134
See Also .....	134
TelemetryMetadata .....	135
Contents .....	135
See Also .....	135
TimestampRange .....	136
Contents .....	136
See Also .....	136
Common Parameters .....	137
Common Errors .....	139



# Welcome

Amazon Inspector enables you to analyze the behavior of your AWS resources and to identify potential security issues. For more information, see [Amazon Inspector User Guide](#).

This document was last published on March 30, 2017.

# Actions

The following actions are supported:

- [AddAttributesToFindings](#) (p. 4)
- [CreateAssessmentTarget](#) (p. 7)
- [CreateAssessmentTemplate](#) (p. 10)
- [CreateResourceGroup](#) (p. 13)
- [DeleteAssessmentRun](#) (p. 16)
- [DeleteAssessmentTarget](#) (p. 18)
- [DeleteAssessmentTemplate](#) (p. 20)
- [DescribeAssessmentRuns](#) (p. 22)
- [DescribeAssessmentTargets](#) (p. 26)
- [DescribeAssessmentTemplates](#) (p. 29)
- [DescribeCrossAccountAccessRole](#) (p. 32)
- [DescribeFindings](#) (p. 34)
- [DescribeResourceGroups](#) (p. 38)
- [DescribeRulesPackages](#) (p. 41)
- [GetTelemetryMetadata](#) (p. 44)
- [ListAssessmentRunAgents](#) (p. 49)
- [ListAssessmentRuns](#) (p. 55)
- [ListAssessmentTargets](#) (p. 58)
- [ListAssessmentTemplates](#) (p. 61)
- [ListEventSubscriptions](#) (p. 64)
- [ListFindings](#) (p. 67)
- [ListRulesPackages](#) (p. 70)
- [ListTagsForResource](#) (p. 73)
- [PreviewAgents](#) (p. 76)
- [RegisterCrossAccountAccessRole](#) (p. 79)
- [RemoveAttributesFromFindings](#) (p. 81)
- [SetTagsForResource](#) (p. 84)
- [StartAssessmentRun](#) (p. 87)
- [StopAssessmentRun](#) (p. 90)

- [SubscribeToEvent](#) (p. 92)
- [UnsubscribeFromEvent](#) (p. 95)
- [UpdateAssessmentTarget](#) (p. 98)

## AddAttributesToFindings

Assigns attributes (key and value pairs) to the findings that are specified by the ARNs of the findings.

### Request Syntax

```
{
  "attributes": [
    {
      "key": "string",
      "value": "string"
    }
  ],
  "findingArns": [ "string" ]
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### attributes (p. 4)

The array of attributes that you want to assign to specified findings.

Type: array of [Attribute \(p. 120\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: Yes

#### findingArns (p. 4)

The ARNs that specify the findings that you want to assign attributes to.

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Syntax

```
{
  "failedItems": {
    "string": {
      "failureCode": "string",
      "retryable": boolean
    }
  }
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### failedItems (p. 4)

Attribute details that cannot be described. An error code is provided for each failed item.

Type: String to [FailedItemDetails \(p. 123\)](#) object map

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### AccessDeniedException

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### InternalException

Internal server error.

HTTP Status Code: 500

### InvalidInputException

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### NoSuchEntityException

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 189
X-Amz-Target: InspectorService.AddAttributesToFindings
X-Amz-Date: 20160329T233810Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "attributes": [
    {
      "key": "Example",
      "value": "example"
    }
  ],
  "findingArns": [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-811VIE0D/run/0-Z02cjjug/finding/0-T8yM9mEU"
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4c8b9c50-f607-11e5-9380-d76f0924b6d7
```

```
Content-Type: application/x-amz-json-1.1
Content-Length: 18
Date: Tue, 29 Mar 2016 23:38:11 GMT
{
  "failedItems": {}
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## CreateAssessmentTarget

Creates a new assessment target using the ARN of the resource group that is generated by [CreateResourceGroup](#) (p. 13). You can create up to 50 assessment targets per AWS account. You can run up to 500 concurrent agents per AWS account. For more information, see [Amazon Inspector Assessment Targets](#).

### Request Syntax

```
{  
  "assessmentTargetName": "string",  
  "resourceGroupArn": "string"  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 137).

The request accepts the following data in JSON format.

#### **assessmentTargetName** (p. 7)

The user-defined name that identifies the assessment target that you want to create. The name must be unique within the AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: Yes

#### **resourceGroupArn** (p. 7)

The ARN that specifies the resource group that is used to create the assessment target.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Syntax

```
{  
  "assessmentTargetArn": "string"  
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **assessmentTargetArn** (p. 7)

The ARN that specifies the assessment target that is created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

### Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

**AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

**InternalException**

Internal server error.

HTTP Status Code: 500

**InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

**LimitExceededException**

The request was rejected because it attempted to create resources beyond the current AWS account limits. The error code describes the limit exceeded.

HTTP Status Code: 400

**NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 129
X-Amz-Target: InspectorService.CreateAssessmentTarget
X-Amz-Date: 20160331T174054Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentTargetName": "ExampleAssessmentTarget",
  "resourceGroupArn": "arn:aws:inspector:us-
west-2:123456789012:resourcegroup/0-AB6DMKnv"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: b87f981e-f767-11e5-82d7-bb83264505be
Content-Type: application/x-amz-json-1.1
Content-Length: 84
Date: Thu, 31 Mar 2016 17:40:55 GMT
{
  "assessmentTargetArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-nvgVhaxX"
```



```
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# CreateAssessmentTemplate

Creates an assessment template for the assessment target that is specified by the ARN of the assessment target.

## Request Syntax

```
{
  "assessmentTargetArn": "string",
  "assessmentTemplateName": "string",
  "durationInSeconds": number,
  "rulesPackageArns": [ "string" ],
  "userAttributesForFindings": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **assessmentTargetArn (p. 10)**

The ARN that specifies the assessment target for which you want to create the assessment template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **assessmentTemplateName (p. 10)**

The user-defined name that identifies the assessment template that you want to create. You can create several assessment templates for an assessment target. The names of the assessment templates that correspond to a particular assessment target must be unique.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: Yes

### **durationInSeconds (p. 10)**

The duration of the assessment run in seconds. The default value is 3600 seconds (one hour).

Type: Integer

Valid Range: Minimum value of 180. Maximum value of 86400.

Required: Yes

### **rulesPackageArns (p. 10)**

The ARNs that specify the rules packages that you want to attach to the assessment template.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **userAttributesForFindings (p. 10)**

The user-defined attributes that are assigned to every finding that is generated by the assessment run that uses this assessment template.

Type: array of [Attribute \(p. 120\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

## Response Syntax

```
{  
  "assessmentTemplateArn": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **assessmentTemplateArn** (p. 11)

The ARN that specifies the assessment template that is created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **LimitExceededException**

The request was rejected because it attempted to create resources beyond the current AWS account limits. The error code describes the limit exceeded.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
```

```
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 335
X-Amz-Target: InspectorService.CreateAssessmentTemplate
X-Amz-Date: 20160331T175559Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentTargetArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-nvgVhaxX",
  "assessmentTemplateName": "ExampleAssessmentTemplate",
  "userAttributesForFindings": [
    {
      "key": "Example",
      "value": "example"
    }
  ],
  "durationInSeconds": 180,
  "rulesPackageArns": [
    "arn:aws:inspector:us-west-2:758058086616:rulespackage/0-11B9DBXp"
  ]
}
```

## Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: d3d3d58e-f769-11e5-9da0-9bde5220d15c
Content-Type: application/x-amz-json-1.1
Content-Length: 106
Date: Thu, 31 Mar 2016 17:56:00 GMT
{
  "assessmentTemplateArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-nvgVhaxX/template/0-it5r2S4T"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## CreateResourceGroup

Creates a resource group using the specified set of tags (key and value pairs) that are used to select the EC2 instances to be included in an Amazon Inspector assessment target. The created resource group is then used to create an Amazon Inspector assessment target. For more information, see [CreateAssessmentTarget \(p. 7\)](#).

### Request Syntax

```
{
  "resourceGroupTags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **resourceGroupTags (p. 13)**

A collection of keys and an array of possible values, `[{"key":"key1","values":["Value1","Value2"]}, {"key":"Key2","values":["Value3"]}]`.

For example, `[{"key":"Name","values":["TestEC2Instance"]}]`.

Type: array of [ResourceGroupTag \(p. 131\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: Yes

### Response Syntax

```
{
  "resourceGroupArn": "string"
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **resourceGroupArn (p. 13)**

The ARN that specifies the resource group that is created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

### Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

**AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

**InternalException**

Internal server error.

HTTP Status Code: 500

**InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

**LimitExceededException**

The request was rejected because it attempted to create resources beyond the current AWS account limits. The error code describes the limit exceeded.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 67
X-Amz-Target: InspectorService.CreateResourceGroup
X-Amz-Date: 20160331T171757Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "resourceGroupTags": [
    {
      "key": "Name",
      "value": "example"
    }
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 8416dfb4-f764-11e5-872a-fde3682789d5
Content-Type: application/x-amz-json-1.1
Content-Length: 88
Date: Thu, 31 Mar 2016 17:17:58 GMT
{
  "resourceGroupArn": "arn:aws:inspector:us-
west-2:123456789012:resourcegroup/0-AB6DMKnv"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DeleteAssessmentRun

Deletes the assessment run that is specified by the ARN of the assessment run.

## Request Syntax

```
{  
  "assessmentRunArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **assessmentRunArn (p. 16)**

The ARN that specifies the assessment run that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **AssessmentRunInProgressException**

You cannot perform a specified action if an assessment run is currently in progress.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400



## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 117
X-Amz-Target: InspectorService.DeleteAssessmentRun
X-Amz-Date: 20160331T183810Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentRunArn": "arn:aws:inspector:us-west-2:123456789012:target/0-
nvgVhaxX/template/0-it5r2S4T/run/0-11LMTAVe"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: b8494bff-f76f-11e5-9d49-6dd670a2a95d
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Thu, 31 Mar 2016 18:38:11 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DeleteAssessmentTarget

Deletes the assessment target that is specified by the ARN of the assessment target.

## Request Syntax

```
{  
  "assessmentTargetArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **assessmentTargetArn (p. 18)**

The ARN that specifies the assessment target that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **AssessmentRunInProgressException**

You cannot perform a specified action if an assessment run is currently in progress.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 85
X-Amz-Target: InspectorService.DeleteAssessmentTarget
X-Amz-Date: 20160331T184144Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentTargetArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-0kFIPusq"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 37dee3da-f770-11e5-b61e-e163adb0c30c
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Thu, 31 Mar 2016 18:41:45 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DeleteAssessmentTemplate

Deletes the assessment template that is specified by the ARN of the assessment template.

## Request Syntax

```
{  
  "assessmentTemplateArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **assessmentTemplateArn (p. 20)**

The ARN that specifies the assessment template that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **AssessmentRunInProgressException**

You cannot perform a specified action if an assessment run is currently in progress.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 107
X-Amz-Target: InspectorService.DeleteAssessmentTemplate
X-Amz-Date: 20160331T184505Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentTemplateArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-nvgVhaxX/template/0-it5r2S4T"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: afcc2e7e-f770-11e5-8f9c-054cd1296cf6
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Thu, 31 Mar 2016 18:45:06 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DescribeAssessmentRuns

Describes the assessment runs that are specified by the ARNs of the assessment runs.

## Request Syntax

```
{  
  "assessmentRunArns": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### assessmentRunArns (p. 22)

The ARN that specifies the assessment run that you want to describe.

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Syntax

```
{  
  "assessmentRuns": [  
    {  
      "arn": "string",  
      "assessmentTemplateArn": "string",  
      "completedAt": number,  
      "createdAt": number,  
      "dataCollected": boolean,  
      "durationInSeconds": number,  
      "name": "string",  
      "notifications": [  
        {  
          "date": number,  
          "error": boolean,  
          "event": "string",  
          "message": "string",  
          "snsPublishStatusCode": "string",  
          "snsTopicArn": "string"  
        }  
      ],  
      "rulesPackageArns": [ "string" ],  
      "startedAt": number,  
      "state": "string",  
      "stateChangedAt": number,  
      "stateChanges": [  
        {  
          "state": "string",  
          "stateChangedAt": number  
        }  
      ],  
      "userAttributesForFindings": [  
        {  
          "key": "string",
```

```
        "value": "string"
      }
    ]
  },
  "failedItems": {
    "string": {
      "failureCode": "string",
      "retryable": boolean
    }
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

### **assessmentRuns** (p. 22)

Information about the assessment run.

Type: array of [AssessmentRun](#) (p. 106) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

### **failedItems** (p. 22)

Assessment run details that cannot be described. An error code is provided for each failed item.

Type: String to [FailedItemDetails](#) (p. 123) object map

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

## Example

### Sample Request

```
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 120
X-Amz-Target: InspectorService.DescribeAssessmentRuns
X-Amz-Date: 20160323T213431Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 boto3/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentRunArns": [
```

## Amazon Inspector API Reference Example

```
        "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/  
template/0-4r1V2mAw/run/0-MKkpXXPE"  
    ]  
}
```

### Sample Response

```
HTTP/1.1 200 OK  
x-amzn-RequestId: 0834f495-f13f-11e5-8a9a-395a36305628  
Content-Type: application/x-amz-json-1.1  
Content-Length: 1156  
Date: Wed, 23 Mar 2016 21:34:32 GMT  
{  
  "assessmentRuns": [  
    {  
      "arn": "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/  
template/0-4r1V2mAw/run/0-MKkpXXPE",  
      "assessmentTemplateArn": "arn:aws:inspector:us-  
west-2:123456789012:target/0-0kFIPusq/template/0-4r1V2mAw",  
      "completedAt": 1458680301.4,  
      "createdAt": 1458680170.035,  
      "dataCollected": true,  
      "durationInSeconds": 3600,  
      "name": "Run 1 for ExampleAssessmentTemplate",  
      "notifications": [],  
      "rulesPackageArns": [  
        "arn:aws:inspector:us-west-2:758058086616:rulespackage/0-X1KXtawP"  
      ],  
      "startedAt": 1458680170.161,  
      "state": "COMPLETED",  
      "stateChangedAt": 1458680301.4,  
      "stateChanges": [  
        {  
          "state": "CREATED",  
          "stateChangedAt": 1458680170.035  
        },  
        {  
          "state": "START_DATA_COLLECTION_PENDING",  
          "stateChangedAt": 1458680170.065  
        },  
        {  
          "state": "START_DATA_COLLECTION_IN_PROGRESS",  
          "stateChangedAt": 1458680170.096  
        },  
        {  
          "state": "COLLECTING_DATA",  
          "stateChangedAt": 1458680170.161  
        },  
        {  
          "state": "STOP_DATA_COLLECTION_PENDING",  
          "stateChangedAt": 1458680239.883  
        },  
        {  
          "state": "DATA_COLLECTED",  
          "stateChangedAt": 1458680299.847  
        },  
        {  
          "state": "EVALUATING_RULES",  
          "stateChangedAt": 1458680300.099  
        },  
      ],  
    },  
  ],  
}
```



```
        {
          "state": "COMPLETED",
          "stateChangedAt": 1458680301.4
        }
      ],
      "userAttributesForFindings": []
    }
  ],
  "failedItems": {}
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## DescribeAssessmentTargets

Describes the assessment targets that are specified by the ARNs of the assessment targets.

### Request Syntax

```
{  
  "assessmentTargetArns": [ "string" ]  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **assessmentTargetArns (p. 26)**

The ARNs that specifies the assessment targets that you want to describe.

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Syntax

```
{  
  "assessmentTargets": [  
    {  
      "arn": "string",  
      "createdAt": number,  
      "name": "string",  
      "resourceGroupArn": "string",  
      "updatedAt": number  
    }  
  ],  
  "failedItems": {  
    "string": {  
      "failureCode": "string",  
      "retryable": boolean  
    }  
  }  
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **assessmentTargets (p. 26)**

Information about the assessment targets.

Type: array of [AssessmentTarget \(p. 114\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

#### **failedItems (p. 26)**

Assessment target details that cannot be described. An error code is provided for each failed item.

Type: String to [FailedItemDetails](#) (p. 123) object map

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

### InternalException

Internal server error.

HTTP Status Code: 500

### InvalidInputException

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 88
X-Amz-Target: InspectorService.DescribeAssessmentTargets
X-Amz-Date: 20160323T214315Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentTargetArns": [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq"
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 407ddf01-f140-11e5-823c-bd257ba1495d
Content-Type: application/x-amz-json-1.1
Content-Length: 287
Date: Wed, 23 Mar 2016 21:43:16 GMT
{
  "assessmentTargets": [
    {
      "arn": "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq",
      "createdAt": 1458074191.459,
      "name": "ExampleAssessmentTarget",
      "resourceGroupArn": "arn:aws:inspector:us-
west-2:123456789012:resourcegroup/0-PyGXopAI",
      "updatedAt": 1458074191.459
    }
  ],
}
```

```
"failedItems": {}  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DescribeAssessmentTemplates

Describes the assessment templates that are specified by the ARNs of the assessment templates.

## Request Syntax

```
{  
  "assessmentTemplateArns": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### [assessmentTemplateArns \(p. 29\)](#)

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Syntax

```
{  
  "assessmentTemplates": [  
    {  
      "arn": "string",  
      "assessmentTargetArn": "string",  
      "createdAt": number,  
      "durationInSeconds": number,  
      "name": "string",  
      "rulesPackageArns": [ "string" ],  
      "userAttributesForFindings": [  
        {  
          "key": "string",  
          "value": "string"  
        }  
      ]  
    }  
  ],  
  "failedItems": {  
    "string": {  
      "failureCode": "string",  
      "retryable": boolean  
    }  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [assessmentTemplates \(p. 29\)](#)

Information about the assessment templates.

Type: array of [AssessmentTemplate](#) (p. 116) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

#### **failedItems** (p. 29)

Assessment template details that cannot be described. An error code is provided for each failed item.

Type: String to [FailedItemDetails](#) (p. 123) object map

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

#### **InternalException**

Internal server error.

HTTP Status Code: 500

#### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 110
X-Amz-Target: InspectorService.DescribeAssessmentTemplates
X-Amz-Date: 20160323T214822Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentTemplateArns": [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-4r1V2mAw"
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: f73a449b-f140-11e5-b473-ed8493878c40
Content-Type: application/x-amz-json-1.1
Content-Length: 422
Date: Wed, 23 Mar 2016 21:48:23 GMT
{
  "assessmentTemplates": [
    {
```

```
        "arn": "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/  
template/0-4r1V2mAw",  
        "assessmentTargetArn": "arn:aws:inspector:us-  
west-2:123456789012:target/0-0kFIPusq",  
        "createdAt": 1458074191.844,  
        "durationInSeconds": 3600,  
        "name": "ExampleAssessmentTemplate",  
        "rulesPackageArns": [  
            "arn:aws:inspector:us-west-2:758058086616:rulespackage/0-X1KXtawP"  
        ],  
        "userAttributesForFindings": []  
    }  
],  
    "failedItems": {}  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DescribeCrossAccountAccessRole

Describes the IAM role that enables Amazon Inspector to access your AWS account.

## Response Syntax

```
{  
  "registeredAt": number,  
  "roleArn": "string",  
  "valid": boolean  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

### **registeredAt** (p. 32)

The date when the cross-account access role was registered.

Type: Timestamp

### **roleArn** (p. 32)

The ARN that specifies the IAM role that Amazon Inspector uses to access your AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

### **valid** (p. 32)

A Boolean value that specifies whether the IAM role has the necessary policies attached to enable Amazon Inspector to access your AWS account.

Type: Boolean

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **InternalException**

Internal server error.

HTTP Status Code: 500

## Example

### Sample Request

```
POST / HTTP/1.1  
Host: inspector.us-west-2.amazonaws.com  
Accept-Encoding: identity  
Content-Length: 2  
X-Amz-Target: InspectorService.DescribeCrossAccountAccessRole  
X-Amz-Date: 20160323T215330Z  
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3  
Content-Type: application/x-amz-json-1.1  
Authorization: AUTHPARAMS
```



```
{}
```

## Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: aef491a7-f141-11e5-bf1e-bbcaff8bf2e
Content-Type: application/x-amz-json-1.1
Content-Length: 99
Date: Wed, 23 Mar 2016 21:53:32 GMT
{
  "registeredAt": 1458069182.826,
  "roleArn": "arn:aws:iam::123456789012:role/inspector",
  "valid": true
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## DescribeFindings

Describes the findings that are specified by the ARNs of the findings.

### Request Syntax

```
{  
  "findingArns": [ "string" ],  
  "locale": "string"  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### findingArns (p. 34)

The ARN that specifies the finding that you want to describe.

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

#### locale (p. 34)

The locale into which you want to translate a finding description, recommendation, and the short description that identifies the finding.

Type: String

Valid Values: EN\_US

Required: No

### Response Syntax

```
{  
  "failedItems": {  
    "string": {  
      "failureCode": "string",  
      "retryable": boolean  
    }  
  },  
  "findings": [  
    {  
      "arn": "string",  
      "assetAttributes": {  
        "agentId": "string",  
        "amiId": "string",  
        "autoScalingGroup": "string",  
        "hostname": "string",  
        "ipv4Addresses": [ "string" ],  
        "schemaVersion": number  
      },  
      "assetType": "string",  
      "attributes": [  
        {  
          "key": "string",
```

```
        "value": "string"
      }
    ],
    "confidence": number,
    "createdAt": number,
    "description": "string",
    "id": "string",
    "indicatorOfCompromise": boolean,
    "numericSeverity": number,
    "recommendation": "string",
    "schemaVersion": number,
    "service": "string",
    "serviceAttributes": {
      "assessmentRunArn": "string",
      "rulesPackageArn": "string",
      "schemaVersion": number
    },
    "severity": "string",
    "title": "string",
    "updatedAt": number,
    "userAttributes": [
      {
        "key": "string",
        "value": "string"
      }
    ]
  }
]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.  
The following data is returned in JSON format by the service.

### [failedItems \(p. 34\)](#)

Finding details that cannot be described. An error code is provided for each failed item.  
Type: String to [FailedItemDetails \(p. 123\)](#) object map

### [findings \(p. 34\)](#)

Information about the finding.  
Type: array of [Finding \(p. 124\)](#) objects  
Array Members: Minimum number of 0 items. Maximum number of 10 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **InternalException**

Internal server error.  
HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.  
HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 133
X-Amz-Target: InspectorService.DescribeFindings
X-Amz-Date: 20160323T215809Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "findingArns": [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-4r1V2mAw/run/0-MKkpXXPE/finding/0-HwPnsDm4"
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 555dbc27-f142-11e5-9dc2-6746fe4b2002
Content-Type: application/x-amz-json-1.1
Content-Length: 892
Date: Wed, 23 Mar 2016 21:58:10 GMT
{
  "failedItems": {},
  "findings": [
    {
      "arn": "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-4r1V2mAw/run/0-MKkpXXPE/finding/0-HwPnsDm4",
      "assetAttributes": {
        "ipv4Addresses": [],
        "schemaVersion": 1
      },
      "assetType": "ec2-instance",
      "attributes": [],
      "confidence": 10,
      "createdAt": 1458680301.37,
      "description": "Amazon Inspector did not find any potential security
issues during this assessment.",
      "indicatorOfCompromise": false,
      "numericSeverity": 0,
      "recommendation": "No remediation needed.",
      "schemaVersion": 1,
      "service": "Inspector",
      "serviceAttributes": {
        "assessmentRunArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-0kFIPusq/template/0-4r1V2mAw/run/0-MKkpXXPE",
        "rulesPackageArn": "arn:aws:inspector:us-
west-2:758058086616:rulespackage/0-XlKXtawP",
        "schemaVersion": 1
      }
    }
  ],
}
```

```
        "severity": "Informational",  
        "title": "No potential security issues found",  
        "updatedAt": 1458680301.37,  
        "userAttributes": []  
    }  
]  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## DescribeResourceGroups

Describes the resource groups that are specified by the ARNs of the resource groups.

### Request Syntax

```
{  
  "resourceGroupArns": [ "string" ]  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### resourceGroupArns (p. 38)

The ARN that specifies the resource group that you want to describe.

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Syntax

```
{  
  "failedItems": {  
    "string": {  
      "failureCode": "string",  
      "retryable": boolean  
    }  
  },  
  "resourceGroups": [  
    {  
      "arn": "string",  
      "createdAt": number,  
      "tags": [  
        {  
          "key": "string",  
          "value": "string"  
        }  
      ]  
    }  
  ]  
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### failedItems (p. 38)

Resource group details that cannot be described. An error code is provided for each failed item.

Type: String to [FailedItemDetails \(p. 123\)](#) object map

### resourceGroups (p. 38)

Information about a resource group.

Type: array of [ResourceGroup \(p. 130\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### InternalException

Internal server error.

HTTP Status Code: 500

### InvalidInputException

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 92
X-Amz-Target: InspectorService.DescribeResourceGroups
X-Amz-Date: 20160323T220453Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 boto3/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "resourceGroupArns": [
    "arn:aws:inspector:us-west-2:123456789012:resourcegroup/0-PyGXopAI"
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4636d6a9-f143-11e5-9f03-eb6e194efa59
Content-Type: application/x-amz-json-1.1
Content-Length: 191
Date: Wed, 23 Mar 2016 22:04:54 GMT
{
  "failedItems": {},
  "resourceGroups": [
    {
      "arn": "arn:aws:inspector:us-west-2:123456789012:resourcegroup/0-
PyGXopAI",
      "createdAt": 1458074191.098,
```

```
    "tags": [
      {
        "key": "Name",
        "value": "example"
      }
    ]
  }
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)



# DescribeRulesPackages

Describes the rules packages that are specified by the ARNs of the rules packages.

## Request Syntax

```
{  
  "locale": "string",  
  "rulesPackageArns": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### locale (p. 41)

The locale that you want to translate a rules package description into.

Type: String

Valid Values: EN\_US

Required: No

### rulesPackageArns (p. 41)

The ARN that specifies the rules package that you want to describe.

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Syntax

```
{  
  "failedItems": {  
    "string": {  
      "failureCode": "string",  
      "retryable": boolean  
    }  
  },  
  "rulesPackages": [  
    {  
      "arn": "string",  
      "description": "string",  
      "name": "string",  
      "provider": "string",  
      "version": "string"  
    }  
  ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **failedItems (p. 41)**

Rules package details that cannot be described. An error code is provided for each failed item.

Type: String to [FailedItemDetails \(p. 123\)](#) object map

### **rulesPackages (p. 41)**

Information about the rules package.

Type: array of [RulesPackage \(p. 132\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 90
X-Amz-Target: InspectorService.DescribeRulesPackages
X-Amz-Date: 20160323T220919Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "rulesPackageArns": [
    "arn:aws:inspector:us-west-2:758058086616:rulespackage/0-9hgA516p"
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: e4a6aee0-f143-11e5-a5ad-73b7f19c946c
Content-Type: application/x-amz-json-1.1
Content-Length: 387
Date: Wed, 23 Mar 2016 22:09:20 GMT
{
  "failedItems": {},
}
```

```
    "rulesPackages": [
      {
        "arn": "arn:aws:inspector:us-
west-2:758058086616:rulespackage/0-9hgA516p",
        "description": "The rules in this package help verify whether the EC2
instances in your application are exposed to Common Vulnerabilities and
Exposures (CVEs). Attacks can exploit unpatched vulnerabilities to
compromise the confidentiality, integrity, or availability of your service
or data. The CVE system provides a reference for publicly known
information security vulnerabilities and exposures. For more information, see
[https://cve.mitre.org/](https://cve.mitre.org/). If a particular CVE
appears in one of the produced Findings at the end of a completed
Inspector assessment, you can search [https://cve.mitre.org/](https://
cve.mitre.org/) using the CVE's ID (for example, \"CVE-2009-0021\") to
find detailed information about this CVE, its severity, and how to
mitigate it. ",
        "name": "Common Vulnerabilities and Exposures",
        "provider": "Amazon Web Services, Inc.",
        "version": "1.1"
      }
    ]
  }
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# GetTelemetryMetadata

Information about the data that is collected for the specified assessment run.

## Request Syntax

```
{  
  "assessmentRunArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **assessmentRunArn (p. 44)**

The ARN that specifies the assessment run that has the telemetry data that you want to obtain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Syntax

```
{  
  "telemetryMetadata": [  
    {  
      "count": number,  
      "dataSize": number,  
      "messageType": "string"  
    }  
  ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **telemetryMetadata (p. 44)**

Telemetry details.

Type: array of [TelemetryMetadata \(p. 135\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5000 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

**InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

**NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 117
X-Amz-Target: InspectorService.GetTelemetryMetadata
X-Amz-Date: 20160329T223852Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentRunArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-0kFIPusq/template/0-4r1V2mAw/run/0-MKkpXXPE"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 03ffa82f-f5ff-11e5-9cf9-9fd5e2aef2f6
Content-Type: application/x-amz-json-1.1
Content-Length: 1990
Date: Tue, 29 Mar 2016 22:38:53 GMT
{
  "telemetryMetadata": [
    {
      "count": 2,
      "dataSize": 345,
      "messageType": "InspectorDuplicateProcess"
    },
    {
      "count": 3,
      "dataSize": 255,
      "messageType": "InspectorTimeEventMsg"
    },
    {
      "count": 4,
      "dataSize": 1082,
      "messageType": "InspectorNetworkInterface"
    }
  ],
}
```

## Amazon Inspector API Reference Example

```
{
  "count": 2,
  "dataSize": 349,
  "messageType": "InspectorDnsEntry"
},
{
  "count": 11,
  "dataSize": 2514,
  "messageType": "InspectorDirectoryInfoMsg"
},
{
  "count": 1,
  "dataSize": 179,
  "messageType": "InspectorTcpV6ListeningPort"
},
{
  "count": 101,
  "dataSize": 10949,
  "messageType": "InspectorTerminal"
},
{
  "count": 26,
  "dataSize": 5916,
  "messageType": "InspectorUser"
},
{
  "count": 282,
  "dataSize": 32148,
  "messageType": "InspectorDynamicallyLoadedCodeModule"
},
{
  "count": 18,
  "dataSize": 10172,
  "messageType": "InspectorCreateProcess"
},
{
  "count": 3,
  "dataSize": 8001,
  "messageType": "InspectorProcessPerformance"
},
{
  "count": 1,
  "dataSize": 360,
  "messageType": "InspectorOperatingSystem"
},
{
  "count": 6,
  "dataSize": 546,
  "messageType": "InspectorStopProcess"
},
{
  "count": 1,
  "dataSize": 1553,
  "messageType": "InspectorInstanceMetaData"
},
{
  "count": 2,
  "dataSize": 434,
  "messageType": "InspectorTcpV4Connection"
},
{
  "count": 474,
  "dataSize": 2960322,
  "messageType": "InspectorPackageInfo"
},
{
```

## Amazon Inspector API Reference Example

```
        "count": 3,
        "dataSize": 2235,
        "messageType": "InspectorSystemPerformance"
    },
    {
        "count": 105,
        "dataSize": 46048,
        "messageType": "InspectorCodeModule"
    },
    {
        "count": 1,
        "dataSize": 182,
        "messageType": "InspectorUdpV6ListeningPort"
    },
    {
        "count": 2,
        "dataSize": 371,
        "messageType": "InspectorUdpV4ListeningPort"
    },
    {
        "count": 18,
        "dataSize": 8362,
        "messageType": "InspectorKernelModule"
    },
    {
        "count": 29,
        "dataSize": 48788,
        "messageType": "InspectorConfigurationInfo"
    },
    {
        "count": 1,
        "dataSize": 79,
        "messageType": "InspectorMonitoringStart"
    },
    {
        "count": 5,
        "dataSize": 0,
        "messageType": "InspectorSplitMsgBegin"
    },
    {
        "count": 51,
        "dataSize": 4593,
        "messageType": "InspectorGroup"
    },
    {
        "count": 1,
        "dataSize": 184,
        "messageType": "InspectorTcpV4ListeningPort"
    },
    {
        "count": 1159,
        "dataSize": 3146579,
        "messageType": "Total"
    },
    {
        "count": 5,
        "dataSize": 0,
        "messageType": "InspectorSplitMsgEnd"
    },
    {
        "count": 1,
        "dataSize": 612,
        "messageType": "InspectorLoadImageInProgress"
    }
    ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)



# ListAssessmentRunAgents

Lists the agents of the assessment runs that are specified by the ARNs of the assessment runs.

## Request Syntax

```
{
  "assessmentRunArn": "string",
  "filter": {
    "agentHealthCodes": [ "string" ],
    "agentHealths": [ "string" ]
  },
  "maxResults": number,
  "nextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### assessmentRunArn (p. 49)

The ARN that specifies the assessment run whose agents you want to list.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### filter (p. 49)

You can use this parameter to specify a subset of data to be included in the action's response.

For a record to match a filter, all specified filter attributes must match. When multiple values are specified for a filter attribute, any of the values can match.

Type: [AgentFilter \(p. 104\)](#) object

Required: No

### maxResults (p. 49)

You can use this parameter to indicate the maximum number of items that you want in the response. The default value is 10. The maximum value is 500.

Type: Integer

Required: No

### nextToken (p. 49)

You can use this parameter when paginating results. Set the value of this parameter to null on your first call to the **ListAssessmentRunAgents** action. Subsequent calls to the action fill **nextToken** in the request with the value of **NextToken** from the previous response to continue listing data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## Response Syntax

```
{
  "assessmentRunAgents": [
```

```
{
  "agentHealth": "string",
  "agentHealthCode": "string",
  "agentHealthDetails": "string",
  "agentId": "string",
  "assessmentRunArn": "string",
  "autoScalingGroup": "string",
  "telemetryMetadata": [
    {
      "count": number,
      "dataSize": number,
      "messageType": "string"
    }
  ]
},
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **assessmentRunAgents** (p. 49)

A list of ARNs that specifies the agents returned by the action.

Type: array of [AssessmentRunAgent](#) (p. 108) objects

Array Members: Minimum number of 0 items. Maximum number of 500 items.

### **nextToken** (p. 49)

When a response is generated, if there is more data to be listed, this parameter is present in the response and contains the value to use for the **nextToken** parameter in a subsequent pagination request. If there is no more data to be listed, this parameter is set to null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 117
X-Amz-Target: InspectorService.ListAssessmentRunAgents
X-Amz-Date: 20160323T212138Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentRunArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-0kFIPusq/template/0-4r1V2mAw/run/0-MKkpXXPE"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 3b752481-f13d-11e5-9f2a-87dc3189b81c
Content-Type: application/x-amz-json-1.1
Content-Length: 2206
Date: Wed, 23 Mar 2016 21:21:39 GMT
{
  "assessmentRunAgents": [
    {
      "agentHealth": "HEALTHY",
      "agentHealthCode": "HEALTHY",
      "agentId": "i-49113b93",
      "assessmentRunArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-0kFIPusq/template/0-4r1V2mAw/run/0-MKkpXXPE",
      "telemetryMetadata": [
        {
          "count": 2,
          "dataSize": 345,
          "messageType": "InspectorDuplicateProcess"
        },
        {
          "count": 3,
          "dataSize": 255,
          "messageType": "InspectorTimeEventMsg"
        },
        {
          "count": 4,
          "dataSize": 1082,
          "messageType": "InspectorNetworkInterface"
        },
        {
          "count": 2,
          "dataSize": 349,
          "messageType": "InspectorDnsEntry"
        },
        {
          "count": 11,
```

## Amazon Inspector API Reference Example

```
"dataSize": 2514,
"messageType": "InspectorDirectoryInfoMsg"
},
{
  "count": 1,
  "dataSize": 179,
  "messageType": "InspectorTcpV6ListeningPort"
},
{
  "count": 101,
  "dataSize": 10949,
  "messageType": "InspectorTerminal"
},
{
  "count": 26,
  "dataSize": 5916,
  "messageType": "InspectorUser"
},
{
  "count": 282,
  "dataSize": 32148,
  "messageType": "InspectorDynamicallyLoadedCodeModule"
},
{
  "count": 18,
  "dataSize": 10172,
  "messageType": "InspectorCreateProcess"
},
{
  "count": 3,
  "dataSize": 8001,
  "messageType": "InspectorProcessPerformance"
},
{
  "count": 1,
  "dataSize": 360,
  "messageType": "InspectorOperatingSystem"
},
{
  "count": 6,
  "dataSize": 546,
  "messageType": "InspectorStopProcess"
},
{
  "count": 1,
  "dataSize": 1553,
  "messageType": "InspectorInstanceMetaData"
},
{
  "count": 2,
  "dataSize": 434,
  "messageType": "InspectorTcpV4Connection"
},
{
  "count": 474,
  "dataSize": 2960322,
  "messageType": "InspectorPackageInfo"
},
{
  "count": 3,
  "dataSize": 2235,
  "messageType": "InspectorSystemPerformance"
},
{
  "count": 105,
  "dataSize": 46048,
```

Amazon Inspector API Reference  
Example

```
    "messageType": "InspectorCodeModule"
  },
  {
    "count": 1,
    "dataSize": 182,
    "messageType": "InspectorUdpV6ListeningPort"
  },
  {
    "count": 2,
    "dataSize": 371,
    "messageType": "InspectorUdpV4ListeningPort"
  },
  {
    "count": 18,
    "dataSize": 8362,
    "messageType": "InspectorKernelModule"
  },
  {
    "count": 29,
    "dataSize": 48788,
    "messageType": "InspectorConfigurationInfo"
  },
  {
    "count": 1,
    "dataSize": 79,
    "messageType": "InspectorMonitoringStart"
  },
  {
    "count": 5,
    "dataSize": 0,
    "messageType": "InspectorSplitMsgBegin"
  },
  {
    "count": 51,
    "dataSize": 4593,
    "messageType": "InspectorGroup"
  },
  {
    "count": 1,
    "dataSize": 184,
    "messageType": "InspectorTcpV4ListeningPort"
  },
  {
    "count": 1159,
    "dataSize": 3146579,
    "messageType": "Total"
  },
  {
    "count": 5,
    "dataSize": 0,
    "messageType": "InspectorSplitMsgEnd"
  },
  {
    "count": 1,
    "dataSize": 612,
    "messageType": "InspectorLoadImageInProgress"
  }
]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## ListAssessmentRuns

Lists the assessment runs that correspond to the assessment templates that are specified by the ARNs of the assessment templates.

### Request Syntax

```
{
  "assessmentTemplateArns": [ "string" ],
  "filter": {
    "completionTimeRange": {
      "beginDate": number,
      "endDate": number
    },
    "durationRange": {
      "maxSeconds": number,
      "minSeconds": number
    },
    "namePattern": "string",
    "rulesPackageArns": [ "string" ],
    "startTimeRange": {
      "beginDate": number,
      "endDate": number
    },
    "stateChangeTimeRange": {
      "beginDate": number,
      "endDate": number
    },
    "states": [ "string" ]
  },
  "maxResults": number,
  "nextToken": "string"
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **assessmentTemplateArns (p. 55)**

The ARNs that specify the assessment templates whose assessment runs you want to list.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

#### **filter (p. 55)**

You can use this parameter to specify a subset of data to be included in the action's response.

For a record to match a filter, all specified filter attributes must match. When multiple values are specified for a filter attribute, any of the values can match.

Type: [AssessmentRunFilter \(p. 110\)](#) object

Required: No

#### **maxResults (p. 55)**

You can use this parameter to indicate the maximum number of items that you want in the response. The default value is 10. The maximum value is 500.

Type: Integer

Required: No

### **nextToken** (p. 55)

You can use this parameter when paginating results. Set the value of this parameter to null on your first call to the **ListAssessmentRuns** action. Subsequent calls to the action fill **nextToken** in the request with the value of **NextToken** from the previous response to continue listing data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## Response Syntax

```
{  
  "assessmentRunArns": [ "string" ],  
  "nextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **assessmentRunArns** (p. 56)

A list of ARNs that specifies the assessment runs that are returned by the action.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

### **nextToken** (p. 56)

When a response is generated, if there is more data to be listed, this parameter is present in the response and contains the value to use for the **nextToken** parameter in a subsequent pagination request. If there is no more data to be listed, this parameter is set to null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400



## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 2
X-Amz-Target: InspectorService.ListAssessmentRuns
X-Amz-Date: 20160323T194135Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 410dabf6-f12f-11e5-8b5a-810259c0c3ae
Content-Type: application/x-amz-json-1.1
Content-Length: 215
Date: Wed, 23 Mar 2016 19:41:36 GMT
{
  "assessmentRunArns":
  [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-4r1V2mAw/run/0-MKkpXXPE",
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-4r1V2mAw/run/0-v5D6fI3v"
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# ListAssessmentTargets

Lists the ARNs of the assessment targets within this AWS account. For more information about assessment targets, see [Amazon Inspector Assessment Targets](#).

## Request Syntax

```
{
  "filter": {
    "assessmentTargetNamePattern": "string"
  },
  "maxResults": number,
  "nextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### filter (p. 58)

You can use this parameter to specify a subset of data to be included in the action's response.

For a record to match a filter, all specified filter attributes must match. When multiple values are specified for a filter attribute, any of the values can match.

Type: [AssessmentTargetFilter \(p. 115\)](#) object

Required: No

### maxResults (p. 58)

You can use this parameter to indicate the maximum number of items you want in the response. The default value is 10. The maximum value is 500.

Type: Integer

Required: No

### nextToken (p. 58)

You can use this parameter when paginating results. Set the value of this parameter to null on your first call to the **ListAssessmentTargets** action. Subsequent calls to the action fill **nextToken** in the request with the value of **NextToken** from the previous response to continue listing data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## Response Syntax

```
{
  "assessmentTargetArns": [ "string" ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **assessmentTargetArns** (p. 58)

A list of ARNs that specifies the assessment targets that are returned by the action.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

### **nextToken** (p. 58)

When a response is generated, if there is more data to be listed, this parameter is present in the response and contains the value to use for the **nextToken** parameter in a subsequent pagination request. If there is no more data to be listed, this parameter is set to null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 2
X-Amz-Target: InspectorService.ListAssessmentTargets
X-Amz-Date: 20160323T201018Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 445f71f6-f133-11e5-932b-dd9c937d073a
```

```
Content-Type: application/x-amz-json-1.1
Content-Length: 87
Date: Wed, 23 Mar 2016 20:10:19 GMT
{
  "assessmentTargetArns": [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq"
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# ListAssessmentTemplates

Lists the assessment templates that correspond to the assessment targets that are specified by the ARNs of the assessment targets.

## Request Syntax

```
{
  "assessmentTargetArns": [ "string" ],
  "filter": {
    "durationRange": {
      "maxSeconds": number,
      "minSeconds": number
    },
    "namePattern": "string",
    "rulesPackageArns": [ "string" ]
  },
  "maxResults": number,
  "nextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **assessmentTargetArns** (p. 61)

A list of ARNs that specifies the assessment targets whose assessment templates you want to list.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

### **filter** (p. 61)

You can use this parameter to specify a subset of data to be included in the action's response.

For a record to match a filter, all specified filter attributes must match. When multiple values are specified for a filter attribute, any of the values can match.

Type: [AssessmentTemplateFilter \(p. 118\)](#) object

Required: No

### **maxResults** (p. 61)

You can use this parameter to indicate the maximum number of items you want in the response. The default value is 10. The maximum value is 500.

Type: Integer

Required: No

### **nextToken** (p. 61)

You can use this parameter when paginating results. Set the value of this parameter to null on your first call to the **ListAssessmentTemplates** action. Subsequent calls to the action fill **nextToken** in the request with the value of **NextToken** from the previous response to continue listing data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## Response Syntax

```
{  
  "assessmentTemplateArns": [ "string" ],  
  "nextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

### **assessmentTemplateArns** (p. 62)

A list of ARNs that specifies the assessment templates returned by the action.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

### **nextToken** (p. 62)

When a response is generated, if there is more data to be listed, this parameter is present in the response and contains the value to use for the **nextToken** parameter in a subsequent pagination request. If there is no more data to be listed, this parameter is set to null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
```

```
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 2
X-Amz-Target: InspectorService.ListAssessmentTemplates
X-Amz-Date: 20160323T202549Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{}
```

## Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 6f406528-f135-11e5-aa71-8de73166bfa9
Content-Type: application/x-amz-json-1.1
Content-Length: 190
Date: Wed, 23 Mar 2016 20:25:50 GMT
{
  "assessmentTemplateArns": [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-4r1V2mAw",
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/template/0-
Uza6ihLh"
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# ListEventSubscriptions

Lists all the event subscriptions for the assessment template that is specified by the ARN of the assessment template. For more information, see [SubscribeToEvent](#) (p. 92) and [UnsubscribeFromEvent](#) (p. 95).

## Request Syntax

```
{  
  "maxResults": number,  
  "nextToken": "string",  
  "resourceArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 137).

The request accepts the following data in JSON format.

### [maxResults](#) (p. 64)

You can use this parameter to indicate the maximum number of items you want in the response. The default value is 10. The maximum value is 500.

Type: Integer

Required: No

### [nextToken](#) (p. 64)

You can use this parameter when paginating results. Set the value of this parameter to null on your first call to the **ListEventSubscriptions** action. Subsequent calls to the action fill **nextToken** in the request with the value of **NextToken** from the previous response to continue listing data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

### [resourceArn](#) (p. 64)

The ARN of the assessment template for which you want to list the existing event subscriptions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## Response Syntax

```
{  
  "nextToken": "string",  
  "subscriptions": [  
    {  
      "eventSubscriptions": [  
        {  
          "event": "string",  
          "subscribedAt": number  
        }  
      ],  
      "resourceArn": "string",  
      "topicArn": "string"  
    }  
  ]  
}
```



```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.  
The following data is returned in JSON format by the service.

### **nextToken** (p. 64)

When a response is generated, if there is more data to be listed, this parameter is present in the response and contains the value to use for the **nextToken** parameter in a subsequent pagination request. If there is no more data to be listed, this parameter is set to null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

### **subscriptions** (p. 64)

Details of the returned event subscriptions.

Type: array of [Subscription](#) (p. 133) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 97
X-Amz-Target: InspectorService.ListEventSubscriptions
X-Amz-Date: 20160331T202943Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
```

```
{
  "resourceArn": "arn:aws:inspector:us-west-2:123456789012:target/0-
nvgVhaxX/template/0-7sbz2Kz0"
}
```

## Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4e21c005-f77f-11e5-823c-bd257ba1495d
Content-Type: application/x-amz-json-1.1
Content-Length: 272
Date: Thu, 31 Mar 2016 20:29:44 GMT
{
  "subscriptions": [
    {
      "eventSubscriptions": [
        {
          "event": "ASSESSMENT_RUN_COMPLETED",
          "subscribedAt": 1459455440.867
        }
      ],
      "resourceArn": "arn:aws:inspector:us-west-2:123456789012:target/0-
nvgVhaxX/template/0-7sbz2Kz0",
      "topicArn": "arn:aws:sns:us-west-2:123456789012:exampletopic"
    }
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## ListFindings

Lists findings that are generated by the assessment runs that are specified by the ARNs of the assessment runs.

### Request Syntax

```
{
  "assessmentRunArns": [ "string" ],
  "filter": {
    "agentIds": [ "string" ],
    "attributes": [
      {
        "key": "string",
        "value": "string"
      }
    ],
    "autoScalingGroups": [ "string" ],
    "creationTimeRange": {
      "beginDate": number,
      "endDate": number
    },
    "ruleNames": [ "string" ],
    "rulesPackageArns": [ "string" ],
    "severities": [ "string" ],
    "userAttributes": [
      {
        "key": "string",
        "value": "string"
      }
    ]
  },
  "maxResults": number,
  "nextToken": "string"
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **assessmentRunArns (p. 67)**

The ARNs of the assessment runs that generate the findings that you want to list.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

#### **filter (p. 67)**

You can use this parameter to specify a subset of data to be included in the action's response.

For a record to match a filter, all specified filter attributes must match. When multiple values are specified for a filter attribute, any of the values can match.

Type: [FindingFilter \(p. 127\)](#) object

Required: No

#### **maxResults (p. 67)**

You can use this parameter to indicate the maximum number of items you want in the response. The default value is 10. The maximum value is 500.

Type: Integer

Required: No

#### **nextToken** (p. 67)

You can use this parameter when paginating results. Set the value of this parameter to null on your first call to the **ListFindings** action. Subsequent calls to the action fill **nextToken** in the request with the value of **NextToken** from the previous response to continue listing data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## Response Syntax

```
{
  "findingArns": [ "string" ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **findingArns** (p. 68)

A list of ARNs that specifies the findings returned by the action.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

#### **nextToken** (p. 68)

When a response is generated, if there is more data to be listed, this parameter is present in the response and contains the value to use for the **nextToken** parameter in a subsequent pagination request. If there is no more data to be listed, this parameter is set to null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 139).

#### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

#### **InternalException**

Internal server error.

HTTP Status Code: 500

#### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

#### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 2
X-Amz-Target: InspectorService.ListFindings
X-Amz-Date: 20160323T203109Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 2df2e847-f136-11e5-b2c3-cd62ea256ca4
Content-Type: application/x-amz-json-1.1
Content-Length: 247
Date: Wed, 23 Mar 2016 20:31:10 GMT
{
  "findingArns": [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-4r1V2mAw/run/0-MKkpXXPE/finding/0-HwPnsDm4",
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-4r1V2mAw/run/0-v5D6fI3v/finding/0-tyvmqBLy"
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# ListRulesPackages

Lists all available Amazon Inspector rules packages.

## Request Syntax

```
{  
  "maxResults": number,  
  "nextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### maxResults (p. 70)

You can use this parameter to indicate the maximum number of items you want in the response. The default value is 10. The maximum value is 500.

Type: Integer

Required: No

### nextToken (p. 70)

You can use this parameter when paginating results. Set the value of this parameter to null on your first call to the **ListRulesPackages** action. Subsequent calls to the action fill **nextToken** in the request with the value of **NextToken** from the previous response to continue listing data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## Response Syntax

```
{  
  "nextToken": "string",  
  "rulesPackageArns": [ "string" ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### nextToken (p. 70)

When a response is generated, if there is more data to be listed, this parameter is present in the response and contains the value to use for the **nextToken** parameter in a subsequent pagination request. If there is no more data to be listed, this parameter is set to null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

### rulesPackageArns (p. 70)

The list of ARNs that specifies the rules packages returned by the action.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 2
X-Amz-Target: InspectorService.ListRulesPackages
X-Amz-Date: 20160323T203727Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 0e3779a9-f137-11e5-be28-e130082e2a98
Content-Type: application/x-amz-json-1.1
Content-Length: 424
Date: Wed, 23 Mar 2016 20:37:26 GMT
{
  "rulesPackageArns": [
    "arn:aws:inspector:us-west-2:758058086616:rulespackage/0-9hgA516p",
    "arn:aws:inspector:us-west-2:758058086616:rulespackage/0-H5hpSawc",
    "arn:aws:inspector:us-west-2:758058086616:rulespackage/0-JJ0tZiqQ",
    "arn:aws:inspector:us-west-2:758058086616:rulespackage/0-vg5GGHSD"
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)



## ListTagsForResource

Lists all tags associated with an assessment template.

### Request Syntax

```
{  
  "resourceArn": "string"  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **resourceArn** (p. 73)

The ARN that specifies the assessment template whose tags you want to list.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Syntax

```
{  
  "tags": [  
    {  
      "key": "string",  
      "value": "string"  
    }  
  ]  
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **tags** (p. 73)

A collection of key and value pairs.

Type: array of [Tag \(p. 134\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

### Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

#### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

#### **InternalException**

Internal server error.

HTTP Status Code: 500

**InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

**NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 97
X-Amz-Target: InspectorService.ListTagsForResource
X-Amz-Date: 20160323T212838Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "resourceArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-0kFIPusq/template/0-gcwFliYu"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 3580d562-f13e-11e5-8a9a-395a36305628
Content-Type: application/x-amz-json-1.1
Content-Length: 50
Date: Wed, 23 Mar 2016 21:28:39 GMT
{
  "tags": [
    {
      "key": "Name",
      "value": "Example"
    }
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## PreviewAgents

Previews the agents installed on the EC2 instances that are part of the specified assessment target.

### Request Syntax

```
{
  "maxResults": number,
  "nextToken": "string",
  "previewAgentsArn": "string"
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **maxResults** (p. 76)

You can use this parameter to indicate the maximum number of items you want in the response. The default value is 10. The maximum value is 500.

Type: Integer

Required: No

#### **nextToken** (p. 76)

You can use this parameter when paginating results. Set the value of this parameter to null on your first call to the **PreviewAgents** action. Subsequent calls to the action fill **nextToken** in the request with the value of **NextToken** from the previous response to continue listing data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

#### **previewAgentsArn** (p. 76)

The ARN of the assessment target whose agents you want to preview.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Syntax

```
{
  "agentPreviews": [
    {
      "agentId": "string",
      "autoScalingGroup": "string"
    }
  ],
  "nextToken": "string"
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **agentPreviews (p. 76)**

The resulting list of agents.

Type: array of [AgentPreview \(p. 105\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 100 items.

### **nextToken (p. 76)**

When a response is generated, if there is more data to be listed, this parameter is present in the response and contains the value to use for the **nextToken** parameter in a subsequent pagination request. If there is no more data to be listed, this parameter is set to null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidCrossAccountRoleException**

Amazon Inspector cannot assume the cross-account role that it needs to list your EC2 instances during the assessment run.

HTTP Status Code: 400

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 82
X-Amz-Target: InspectorService.PreviewAgents
X-Amz-Date: 20160329T224634Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "previewAgentsArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-0kFIPusq"
```

```
}
```

## Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 176c8915-f600-11e5-ac8a-bb6015f4022c
Content-Type: application/x-amz-json-1.1
Content-Length: 44
Date: Tue, 29 Mar 2016 22:46:36 GMT
{
  "agentPreviews": [
    {
      "agentId": "i-49113b93"
    }
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# RegisterCrossAccountAccessRole

Registers the IAM role that Amazon Inspector uses to list your EC2 instances at the start of the assessment run or when you call the [PreviewAgents \(p. 76\)](#) action.

## Request Syntax

```
{  
  "roleArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **roleArn (p. 79)**

The ARN of the IAM role that Amazon Inspector uses to list your EC2 instances during the assessment run or when you call the [PreviewAgents \(p. 76\)](#) action.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidCrossAccountRoleException**

Amazon Inspector cannot assume the cross-account role that it needs to list your EC2 instances during the assessment run.

HTTP Status Code: 400

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 55
X-Amz-Target: InspectorService.RegisterCrossAccountAccessRole
X-Amz-Date: 20160329T225544Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS

{
  "roleArn": "arn:aws:iam::123456789012:role/inspector"
}
```

## Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 5f553cfa-f601-11e5-a47c-b7e2de2d572c
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Tue, 29 Mar 2016 22:55:46 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)



## RemoveAttributesFromFindings

Removes entire attributes (key and value pairs) from the findings that are specified by the ARNs of the findings where an attribute with the specified key exists.

### Request Syntax

```
{  
  "attributeKeys": [ "string" ],  
  "findingArns": [ "string" ]  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **attributeKeys (p. 81)**

The array of attribute keys that you want to remove from specified findings.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

#### **findingArns (p. 81)**

The ARNs that specify the findings that you want to remove attributes from.

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Syntax

```
{  
  "failedItems": {  
    "string": {  
      "failureCode": "string",  
      "retryable": boolean  
    }  
  }  
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **failedItems (p. 81)**

Attributes details that cannot be described. An error code is provided for each failed item.

Type: String to [FailedItemDetails \(p. 123\)](#) object map

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 181
X-Amz-Target: InspectorService.RemoveAttributesFromFindings
X-Amz-Date: 20160329T234159Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "attributeKeys": [
    "key=Example,value=example"
  ],
  "findingArns": [
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/
template/0-811VIE0D/run/0-Z02cjjug/finding/0-T8yM9mEU"
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: d4ebb8cf-f607-11e5-94d7-d9eab7a1ae2a
Content-Type: application/x-amz-json-1.1
Content-Length: 18
Date: Tue, 29 Mar 2016 23:42:00 GMT
```

```
{  
  "failedItems": {}  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## SetTagsForResource

Sets tags (key and value pairs) to the assessment template that is specified by the ARN of the assessment template.

### Request Syntax

```
{
  "resourceArn": "string",
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **resourceArn (p. 84)**

The ARN of the assessment template that you want to set tags to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

#### **tags (p. 84)**

A collection of key and value pairs that you want to set to the assessment template.

Type: array of [Tag \(p. 134\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

### Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

### Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

#### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

#### **InternalException**

Internal server error.

HTTP Status Code: 500

#### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### NoSuchEntityException

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 144
X-Amz-Target: InspectorService.SetTagsForResource
X-Amz-Date: 20160331T185018Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "resourceArn": "arn:aws:inspector:us-west-2:123456789012:target/0-
nvgVhaxX/template/0-7sbz2Kz0",
  "tags": [
    {
      "key": "Example",
      "value": "example"
    }
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 6a3f5af3-f771-11e5-8599-f1b50afafb5a
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Thu, 31 Mar 2016 18:50:18 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## StartAssessmentRun

Starts the assessment run specified by the ARN of the assessment template. For this API to function properly, you must not exceed the limit of running up to 500 concurrent agents per AWS account.

### Request Syntax

```
{  
  "assessmentRunName": "string",  
  "assessmentTemplateArn": "string"  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **assessmentRunName (p. 87)**

You can specify the name for the assessment run. The name must be unique for the assessment template whose ARN is used to start the assessment run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: No

#### **assessmentTemplateArn (p. 87)**

The ARN of the assessment template of the assessment run that you want to start.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Syntax

```
{  
  "assessmentRunArn": "string"  
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **assessmentRunArn (p. 87)**

The ARN of the assessment run that has been started.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

### Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

#### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

**AgentsAlreadyRunningAssessmentException**

You started an assessment run, but one of the instances is already participating in another assessment run.

HTTP Status Code: 400

**InternalException**

Internal server error.

HTTP Status Code: 500

**InvalidCrossAccountRoleException**

Amazon Inspector cannot assume the cross-account role that it needs to list your EC2 instances during the assessment run.

HTTP Status Code: 400

**InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

**LimitExceededException**

The request was rejected because it attempted to create resources beyond the current AWS account limits. The error code describes the limit exceeded.

HTTP Status Code: 400

**NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 142
X-Amz-Target: InspectorService.StartAssessmentRun
X-Amz-Date: 20160331T182519Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentRunName": "examplerun",
  "assessmentTemplateArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-nvgVhaxX/template/0-it5r2S4T"
}
```

### Sample Response

```
HTTP/1.1 200 OK
```



```
x-amzn-RequestId: ed349455-f76d-11e5-b473-ed8493878c40
Content-Type: application/x-amz-json-1.1
Content-Length: 116
Date: Thu, 31 Mar 2016 18:25:22 GMT
{
  "assessmentRunArn": "arn:aws:inspector:us-west-2:123456789012:target/0-
nvgVhaxX/template/0-it5r2S4T/run/0-jOoroxyY"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# StopAssessmentRun

Stops the assessment run that is specified by the ARN of the assessment run.

## Request Syntax

```
{  
  "assessmentRunArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **assessmentRunArn** (p. 90)

The ARN of the assessment run that you want to stop.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 117
X-Amz-Target: InspectorService.StopAssessmentRun
X-Amz-Date: 20160331T183401Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentRunArn": "arn:aws:inspector:us-west-2:123456789012:target/0-
nvgVhaxX/template/0-it5r2S4T/run/0-11LMTAVe"
}
```

## Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 23e1a935-f76f-11e5-92d3-7ba54a65df23
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Thu, 31 Mar 2016 18:34:02 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# SubscribeToEvent

Enables the process of sending Amazon Simple Notification Service (SNS) notifications about a specified event to a specified SNS topic.

## Request Syntax

```
{  
  "event": "string",  
  "resourceArn": "string",  
  "topicArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **event** (p. 92)

The event for which you want to receive SNS notifications.

Type: String

Valid Values: ASSESSMENT\_RUN\_STARTED | ASSESSMENT\_RUN\_COMPLETED |  
ASSESSMENT\_RUN\_STATE\_CHANGED | FINDING\_REPORTED | OTHER

Required: Yes

### **resourceArn** (p. 92)

The ARN of the assessment template that is used during the event for which you want to receive SNS notifications.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **topicArn** (p. 92)

The ARN of the SNS topic to which the SNS notifications are sent.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### **LimitExceededException**

The request was rejected because it attempted to create resources beyond the current AWS account limits. The error code describes the limit exceeded.

HTTP Status Code: 400

### **NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 200
X-Amz-Target: InspectorService.SubscribeToEvent
X-Amz-Date: 20160331T201719Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "resourceArn": "arn:aws:inspector:us-west-2:123456789012:target/0-
nvgVhaxX/template/0-7sbz2Kz0",
  "event": "ASSESSMENT_RUN_COMPLETED",
  "topicArn": "arn:aws:sns:us-west-2:123456789012:exampletopic"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 929b6c44-f77d-11e5-bcc6-cd3a7bd10be0
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Thu, 31 Mar 2016 20:17:20 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# UnsubscribeFromEvent

Disables the process of sending Amazon Simple Notification Service (SNS) notifications about a specified event to a specified SNS topic.

## Request Syntax

```
{  
  "event": "string",  
  "resourceArn": "string",  
  "topicArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

### **event** (p. 95)

The event for which you want to stop receiving SNS notifications.

Type: String

Valid Values: ASSESSMENT\_RUN\_STARTED | ASSESSMENT\_RUN\_COMPLETED |  
ASSESSMENT\_RUN\_STATE\_CHANGED | FINDING\_REPORTED | OTHER

Required: Yes

### **resourceArn** (p. 95)

The ARN of the assessment template that is used during the event for which you want to stop receiving SNS notifications.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **topicArn** (p. 95)

The ARN of the SNS topic to which SNS notifications are sent.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

### **InternalException**

Internal server error.

HTTP Status Code: 500

### InvalidInputException

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

### NoSuchEntityException

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 200
X-Amz-Target: InspectorService.UnsubscribeFromEvent
X-Amz-Date: 20160331T203404Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "resourceArn": "arn:aws:inspector:us-west-2:123456789012:target/0-
nvgVhaxX/template/0-7sbz2Kz0",
  "event": "ASSESSMENT_RUN_COMPLETED",
  "topicArn": "arn:aws:sns:us-west-2:123456789012:exampletopic"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: e9c2e864-f77f-11e5-82d7-bb83264505be
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Thu, 31 Mar 2016 20:34:06 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)



- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## UpdateAssessmentTarget

Updates the assessment target that is specified by the ARN of the assessment target.

### Request Syntax

```
{  
  "assessmentTargetArn": "string",  
  "assessmentTargetName": "string",  
  "resourceGroupArn": "string"  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 137\)](#).

The request accepts the following data in JSON format.

#### **assessmentTargetArn (p. 98)**

The ARN of the assessment target that you want to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

#### **assessmentTargetName (p. 98)**

The name of the assessment target that you want to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: Yes

#### **resourceGroupArn (p. 98)**

The ARN of the resource group that is used to specify the new resource group to associate with the assessment target.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

### Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 139\)](#).

#### **AccessDeniedException**

You do not have required permissions to access the requested resource.

HTTP Status Code: 400

#### **InternalException**

Internal server error.

HTTP Status Code: 500

#### **InvalidInputException**

The request was rejected because an invalid or out-of-range value was supplied for an input parameter.

HTTP Status Code: 400

**NoSuchEntityException**

The request was rejected because it referenced an entity that does not exist. The error code describes the entity.

HTTP Status Code: 400

## Example

### Sample Request

```
POST / HTTP/1.1
Host: inspector.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 206
X-Amz-Target: InspectorService.UpdateAssessmentTarget
X-Amz-Date: 20160331T185748Z
User-Agent: aws-cli/1.10.12 Python/2.7.9 Windows/7 botocore/1.4.3
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS
{
  "assessmentTargetArn": "arn:aws:inspector:us-
west-2:123456789012:target/0-nvgVhaxX",
  "assessmentTargetName": "Example",
  "resourceGroupArn": "arn:aws:inspector:us-
west-2:123456789012:resourcegroup/0-yNbgL5Pt"
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 76bc43e7-f772-11e5-a5f3-fb6257e71620
Content-Type: application/x-amz-json-1.1
Content-Length: 0
Date: Thu, 31 Mar 2016 18:57:49 GMT
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V2](#)

# Data Types

The Amazon Inspector API contains several data types that various actions use. This section describes each data type in detail.

**Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AgentAlreadyRunningAssessment](#) (p. 103)
- [AgentFilter](#) (p. 104)
- [AgentPreview](#) (p. 105)
- [AssessmentRun](#) (p. 106)
- [AssessmentRunAgent](#) (p. 108)
- [AssessmentRunFilter](#) (p. 110)
- [AssessmentRunNotification](#) (p. 112)
- [AssessmentRunStateChange](#) (p. 113)
- [AssessmentTarget](#) (p. 114)
- [AssessmentTargetFilter](#) (p. 115)
- [AssessmentTemplate](#) (p. 116)
- [AssessmentTemplateFilter](#) (p. 118)
- [AssetAttributes](#) (p. 119)
- [Attribute](#) (p. 120)
- [DurationRange](#) (p. 121)
- [EventSubscription](#) (p. 122)
- [FailedItemDetails](#) (p. 123)
- [Finding](#) (p. 124)
- [FindingFilter](#) (p. 127)
- [InspectorServiceAttributes](#) (p. 129)
- [ResourceGroup](#) (p. 130)
- [ResourceGroupTag](#) (p. 131)
- [RulesPackage](#) (p. 132)
- [Subscription](#) (p. 133)
- [Tag](#) (p. 134)

- [TelemetryMetadata](#) (p. 135)
- [TimestampRange](#) (p. 136)

# AgentAlreadyRunningAssessment

Used in the exception error that is thrown if you start an assessment run for an assessment target that includes an EC2 instance that is already participating in another started assessment run.

## Contents

### **agentId**

ID of the agent that is running on an EC2 instance that is already participating in another started assessment run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

### **assessmentRunArn**

The ARN of the assessment run that has already been started.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## AgentFilter

Contains information about an Amazon Inspector agent. This data type is used as a request parameter in the [ListAssessmentRunAgents](#) (p. 49) action.

### Contents

#### **agentHealthCodes**

The detailed health state of the agent. Values can be set to **IDLE**, **RUNNING**, **SHUTDOWN**, **UNHEALTHY**, **THROTTLED**, and **UNKNOWN**.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Valid Values: `IDLE` | `RUNNING` | `SHUTDOWN` | `UNHEALTHY` | `THROTTLED` | `UNKNOWN`

Required: Yes

#### **agentHealths**

The current health state of the agent. Values can be set to **HEALTHY** or **UNHEALTHY**.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Valid Values: `HEALTHY` | `UNHEALTHY`

Required: Yes

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)



# AgentPreview

Used as a response element in the [PreviewAgents \(p. 76\)](#) action.

## Contents

### **agentId**

The ID of the EC2 instance where the agent is installed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

### **autoScalingGroup**

The Auto Scaling group for the EC2 instance where the agent is installed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssessmentRun

A snapshot of an Amazon Inspector assessment run that contains the findings of the assessment run .  
Used as the response element in the [DescribeAssessmentRuns \(p. 22\)](#) action.

## Contents

### **arn**

The ARN of the assessment run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **assessmentTemplateArn**

The ARN of the assessment template that is associated with the assessment run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **completedAt**

The assessment run completion time that corresponds to the rules packages evaluation completion time or failure.

Type: Timestamp

Required: No

### **createdAt**

The time when [StartAssessmentRun \(p. 87\)](#) was called.

Type: Timestamp

Required: Yes

### **dataCollected**

A Boolean value (true or false) that specifies whether the process of collecting data from the agents is completed.

Type: Boolean

Required: Yes

### **durationInSeconds**

The duration of the assessment run.

Type: Integer

Valid Range: Minimum value of 180. Maximum value of 86400.

Required: Yes

### **name**

The auto-generated name for the assessment run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: Yes

### **notifications**

A list of notifications for the event subscriptions. A notification about a particular generated finding is added to this list only once.

Type: array of [AssessmentRunNotification \(p. 112\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: Yes

### **rulesPackageArns**

The rules packages selected for the assessment run.

Type: array of Strings

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

**startedAt**

The time when [StartAssessmentRun \(p. 87\)](#) was called.

Type: Timestamp

Required: No

**state**

The state of the assessment run.

Type: String

Valid Values: CREATED | START\_DATA\_COLLECTION\_PENDING | START\_DATA\_COLLECTION\_IN\_PROGRESS  
| COLLECTING\_DATA | STOP\_DATA\_COLLECTION\_PENDING | DATA\_COLLECTED | EVALUATING\_RULES |  
FAILED | COMPLETED | COMPLETED\_WITH\_ERRORS

Required: Yes

**stateChangedAt**

The last time when the assessment run's state changed.

Type: Timestamp

Required: Yes

**stateChanges**

A list of the assessment run state changes.

Type: array of [AssessmentRunStateChange \(p. 113\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: Yes

**userAttributesForFindings**

The user-defined attributes that are assigned to every generated finding.

Type: array of [Attribute \(p. 120\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssessmentRunAgent

Contains information about an Amazon Inspector agent. This data type is used as a response element in the [ListAssessmentRunAgents](#) (p. 49) action.

## Contents

### **agentHealth**

The current health state of the agent.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: Yes

### **agentHealthCode**

The detailed health state of the agent.

Type: String

Valid Values: IDLE | RUNNING | SHUTDOWN | UNHEALTHY | THROTTLED | UNKNOWN

Required: Yes

### **agentHealthDetails**

The description for the agent health code.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### **agentId**

The AWS account of the EC2 instance where the agent is installed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

### **assessmentRunArn**

The ARN of the assessment run that is associated with the agent.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **autoScalingGroup**

The Auto Scaling group of the EC2 instance that is specified by the agent ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **telemetryMetadata**

The Amazon Inspector application data metrics that are collected by the agent.

Type: array of [TelemetryMetadata](#) (p. 135) objects

Array Members: Minimum number of 0 items. Maximum number of 5000 items.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssessmentRunFilter

Used as the request parameter in the [ListAssessmentRuns](#) (p. 55) action.

## Contents

### completionTimeRange

For a record to match a filter, the value that is specified for this data type property must inclusively match any value between the specified minimum and maximum values of the **completedAt** property of the [AssessmentRun](#) (p. 106) data type.

Type: [TimestampRange](#) (p. 136) object

Required: No

### durationRange

For a record to match a filter, the value that is specified for this data type property must inclusively match any value between the specified minimum and maximum values of the **durationInSeconds** property of the [AssessmentRun](#) (p. 106) data type.

Type: [DurationRange](#) (p. 121) object

Required: No

### namePattern

For a record to match a filter, an explicit value or a string containing a wildcard that is specified for this data type property must match the value of the **assessmentRunName** property of the [AssessmentRun](#) (p. 106) data type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: No

### rulesPackageArns

For a record to match a filter, the value that is specified for this data type property must be contained in the list of values of the **rulesPackages** property of the [AssessmentRun](#) (p. 106) data type.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

### startTimeRange

For a record to match a filter, the value that is specified for this data type property must inclusively match any value between the specified minimum and maximum values of the **startTime** property of the [AssessmentRun](#) (p. 106) data type.

Type: [TimestampRange](#) (p. 136) object

Required: No

### stateChangeTimeRange

For a record to match a filter, the value that is specified for this data type property must match the **stateChangedAt** property of the [AssessmentRun](#) (p. 106) data type.

Type: [TimestampRange](#) (p. 136) object

Required: No

### states

For a record to match a filter, one of the values specified for this data type property must be the exact match of the value of the **assessmentRunState** property of the [AssessmentRun](#) (p. 106) data type.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Valid Values: CREATED | START\_DATA\_COLLECTION\_PENDING | START\_DATA\_COLLECTION\_IN\_PROGRESS | COLLECTING\_DATA | STOP\_DATA\_COLLECTION\_PENDING | DATA\_COLLECTED | EVALUATING\_RULES | FAILED | COMPLETED | COMPLETED\_WITH\_ERRORS

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssessmentRunNotification

Used as one of the elements of the [AssessmentRun](#) (p. 106) data type.

## Contents

### **date**

The date of the notification.

Type: Timestamp

Required: Yes

### **error**

The Boolean value that specifies whether the notification represents an error.

Type: Boolean

Required: Yes

### **event**

The event for which a notification is sent.

Type: String

Valid Values: ASSESSMENT\_RUN\_STARTED | ASSESSMENT\_RUN\_COMPLETED |  
ASSESSMENT\_RUN\_STATE\_CHANGED | FINDING\_REPORTED | OTHER

Required: Yes

### **message**

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### **snsPublishStatusCode**

The status code of the SNS notification.

Type: String

Valid Values: SUCCESS | TOPIC\_DOES\_NOT\_EXIST | ACCESS\_DENIED | INTERNAL\_ERROR

Required: No

### **snsTopicArn**

The SNS topic to which the SNS notification is sent.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)



# AssessmentRunStateChange

Used as one of the elements of the [AssessmentRun](#) (p. 106) data type.

## Contents

### **state**

The assessment run state.

Type: String

Valid Values: `CREATED` | `START_DATA_COLLECTION_PENDING` | `START_DATA_COLLECTION_IN_PROGRESS` | `COLLECTING_DATA` | `STOP_DATA_COLLECTION_PENDING` | `DATA_COLLECTED` | `EVALUATING_RULES` | `FAILED` | `COMPLETED` | `COMPLETED_WITH_ERRORS`

Required: Yes

### **stateChangedAt**

The last time the assessment run state changed.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssessmentTarget

Contains information about an Amazon Inspector application. This data type is used as the response element in the [DescribeAssessmentTargets](#) (p. 26) action.

## Contents

### **arn**

The ARN that specifies the Amazon Inspector assessment target.  
Type: String  
Length Constraints: Minimum length of 1. Maximum length of 300.  
Required: Yes

### **createdAt**

The time at which the assessment target is created.  
Type: Timestamp  
Required: Yes

### **name**

The name of the Amazon Inspector assessment target.  
Type: String  
Length Constraints: Minimum length of 1. Maximum length of 140.  
Required: Yes

### **resourceGroupArn**

The ARN that specifies the resource group that is associated with the assessment target.  
Type: String  
Length Constraints: Minimum length of 1. Maximum length of 300.  
Required: Yes

### **updatedAt**

The time at which [UpdateAssessmentTarget](#) (p. 98) is called.  
Type: Timestamp  
Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssessmentTargetFilter

Used as the request parameter in the [ListAssessmentTargets \(p. 58\)](#) action.

## Contents

### **assessmentTargetNamePattern**

For a record to match a filter, an explicit value or a string that contains a wildcard that is specified for this data type property must match the value of the **assessmentTargetName** property of the [AssessmentTarget \(p. 114\)](#) data type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssessmentTemplate

Contains information about an Amazon Inspector assessment template. This data type is used as the response element in the [DescribeAssessmentTemplates](#) (p. 29) action.

## Contents

### **arn**

The ARN of the assessment template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **assessmentTargetArn**

The ARN of the assessment target that corresponds to this assessment template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **createdAt**

The time at which the assessment template is created.

Type: Timestamp

Required: Yes

### **durationInSeconds**

The duration in seconds specified for this assessment template. The default value is 3600 seconds (one hour). The maximum value is 86400 seconds (one day).

Type: Integer

Valid Range: Minimum value of 180. Maximum value of 86400.

Required: Yes

### **name**

The name of the assessment template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: Yes

### **rulesPackageArns**

The rules packages that are specified for this assessment template.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **userAttributesForFindings**

The user-defined attributes that are assigned to every generated finding from the assessment run that uses this assessment template.

Type: array of [Attribute](#) (p. 120) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssessmentTemplateFilter

Used as the request parameter in the [ListAssessmentTemplates \(p. 61\)](#) action.

## Contents

### **durationRange**

For a record to match a filter, the value specified for this data type property must inclusively match any value between the specified minimum and maximum values of the **durationInSeconds** property of the [AssessmentTemplate \(p. 116\)](#) data type.

Type: [DurationRange \(p. 121\)](#) object

Required: No

### **namePattern**

For a record to match a filter, an explicit value or a string that contains a wildcard that is specified for this data type property must match the value of the **assessmentTemplateName** property of the [AssessmentTemplate \(p. 116\)](#) data type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 140.

Required: No

### **rulesPackageArns**

For a record to match a filter, the values that are specified for this data type property must be contained in the list of values of the **rulesPackageArns** property of the [AssessmentTemplate \(p. 116\)](#) data type.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AssetAttributes

A collection of attributes of the host from which the finding is generated.

## Contents

### **agentId**

The ID of the agent that is installed on the EC2 instance where the finding is generated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### **amiId**

The ID of the Amazon Machine Image (AMI) that is installed on the EC2 instance where the finding is generated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### **autoScalingGroup**

The Auto Scaling group of the EC2 instance where the finding is generated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **hostname**

The hostname of the EC2 instance where the finding is generated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### **ipv4Addresses**

The list of IP v4 addresses of the EC2 instance where the finding is generated.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 7. Maximum length of 15.

Required: No

### **schemaVersion**

The schema version of this data type.

Type: Integer

Valid Range: Minimum value of 0.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## Attribute

This data type is used as a request parameter in the [AddAttributesToFindings](#) (p. 4) and [CreateAssessmentTemplate](#) (p. 10) actions.

### Contents

**key**

The attribute key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

**value**

The value assigned to the attribute key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)



## DurationRange

This data type is used in the [AssessmentTemplateFilter](#) (p. 118) data type.

### Contents

#### **maxSeconds**

The maximum value of the duration range. Must be less than or equal to 604800 seconds (1 week).

Type: Integer

Valid Range: Minimum value of 180. Maximum value of 86400.

Required: No

#### **minSeconds**

The minimum value of the duration range. Must be greater than zero.

Type: Integer

Valid Range: Minimum value of 180. Maximum value of 86400.

Required: No

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## EventSubscription

This data type is used in the [Subscription \(p. 133\)](#) data type.

### Contents

#### **event**

The event for which Amazon Simple Notification Service (SNS) notifications are sent.

Type: String

Valid Values: ASSESSMENT\_RUN\_STARTED | ASSESSMENT\_RUN\_COMPLETED |  
ASSESSMENT\_RUN\_STATE\_CHANGED | FINDING\_REPORTED | OTHER

Required: Yes

#### **subscribedAt**

The time at which [SubscribeToEvent \(p. 92\)](#) is called.

Type: Timestamp

Required: Yes

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## FailedItemDetails

Includes details about the failed items.

### Contents

#### **failureCode**

The status code of a failed item.

Type: String

Valid Values: INVALID\_ARN | DUPLICATE\_ARN | ITEM\_DOES\_NOT\_EXIST | ACCESS\_DENIED |  
LIMIT\_EXCEEDED | INTERNAL\_ERROR

Required: Yes

#### **retryable**

Indicates whether you can immediately retry a request for this item for a specified resource.

Type: Boolean

Required: Yes

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## Finding

Contains information about an Amazon Inspector finding. This data type is used as the response element in the [DescribeFindings \(p. 34\)](#) action.

### Contents

**arn**

The ARN that specifies the finding.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

**assetAttributes**

A collection of attributes of the host from which the finding is generated.

Type: [AssetAttributes \(p. 119\)](#) object

Required: No

**assetType**

The type of the host from which the finding is generated.

Type: String

Valid Values: `ec2-instance`

Required: No

**attributes**

The system-defined attributes for the finding.

Type: array of [Attribute \(p. 120\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: Yes

**confidence**

This data element is currently not used.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 10.

Required: No

**createdAt**

The time when the finding was generated.

Type: Timestamp

Required: Yes

**description**

The description of the finding.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 20000.

Required: No

**id**

The ID of the finding.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

**indicatorOfCompromise**

This data element is currently not used.

Type: Boolean

Required: No

**numericSeverity**

The numeric value of the finding severity.

Type: Double

Valid Range: Minimum value of 0.0. Maximum value of 10.0.

Required: No

**recommendation**

The recommendation for the finding.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 20000.

Required: No

**schemaVersion**

The schema version of this data type.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

**service**

The data element is set to "Inspector".

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

**serviceAttributes**

This data type is used in the [Finding \(p. 124\)](#) data type.

Type: [InspectorServiceAttributes \(p. 129\)](#) object

Required: No

**severity**

The finding severity. Values can be set to High, Medium, Low, and Informational.

Type: String

Valid Values: `Low` | `Medium` | `High` | `Informational` | `Undefined`

Required: No

**title**

The name of the finding.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 20000.

Required: No

**updatedAt**

The time when [AddAttributesToFindings \(p. 4\)](#) is called.

Type: Timestamp

Required: Yes

**userAttributes**

The user-defined attributes that are assigned to the finding.

Type: array of [Attribute \(p. 120\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# FindingFilter

This data type is used as a request parameter in the [ListFindings \(p. 67\)](#) action.

## Contents

### **agentIds**

For a record to match a filter, one of the values that is specified for this data type property must be the exact match of the value of the **agentId** property of the [Finding \(p. 124\)](#) data type.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### **attributes**

For a record to match a filter, the list of values that are specified for this data type property must be contained in the list of values of the **attributes** property of the [Finding \(p. 124\)](#) data type.

Type: array of [Attribute \(p. 120\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

### **autoScalingGroups**

For a record to match a filter, one of the values that is specified for this data type property must be the exact match of the value of the **autoScalingGroup** property of the [Finding \(p. 124\)](#) data type.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **creationTimeRange**

The time range during which the finding is generated.

Type: [TimestampRange \(p. 136\)](#) object

Required: No

### **ruleNames**

For a record to match a filter, one of the values that is specified for this data type property must be the exact match of the value of the **ruleName** property of the [Finding \(p. 124\)](#) data type.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Maximum length of 1000.

Required: No

### **rulesPackageArns**

For a record to match a filter, one of the values that is specified for this data type property must be the exact match of the value of the **rulesPackageArn** property of the [Finding \(p. 124\)](#) data type.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

### **severities**

For a record to match a filter, one of the values that is specified for this data type property must be the exact match of the value of the **severity** property of the [Finding \(p. 124\)](#) data type.

Type: array of Strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Valid Values: `Low` | `Medium` | `High` | `Informational` | `Undefined`

Required: No

**userAttributes**

For a record to match a filter, the value that is specified for this data type property must be contained in the list of values of the **userAttributes** property of the [Finding \(p. 124\)](#) data type.

Type: array of [Attribute \(p. 120\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)



# InspectorServiceAttributes

This data type is used in the [Finding \(p. 124\)](#) data type.

## Contents

### **assessmentRunArn**

The ARN of the assessment run during which the finding is generated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

### **rulesPackageArn**

The ARN of the rules package that is used to generate the finding.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

### **schemaVersion**

The schema version of this data type.

Type: Integer

Valid Range: Minimum value of 0.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## ResourceGroup

Contains information about a resource group. The resource group defines a set of tags that, when queried, identify the AWS resources that make up the assessment target. This data type is used as the response element in the [DescribeResourceGroups \(p. 38\)](#) action.

### Contents

#### **arn**

The ARN of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

#### **createdAt**

The time at which resource group is created.

Type: Timestamp

Required: Yes

#### **tags**

The tags (key and value pairs) of the resource group. This data type property is used in the [CreateResourceGroup \(p. 13\)](#) action.

Type: array of [ResourceGroupTag \(p. 131\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: Yes

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# ResourceGroupTag

This data type is used as one of the elements of the [ResourceGroup](#) (p. 130) data type.

## Contents

### key

A tag key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

### value

The value assigned to a tag key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# RulesPackage

Contains information about an Amazon Inspector rules package. This data type is used as the response element in the [DescribeRulesPackages](#) (p. 41) action.

## Contents

### **arn**

The ARN of the rules package.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### **description**

The description of the rules package.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 20000.

Required: No

### **name**

The name of the rules package.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

### **provider**

The provider of the rules package.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

### **version**

The version ID of the rules package.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## Subscription

This data type is used as a response element in the [ListEventSubscriptions \(p. 64\)](#) action.

### Contents

#### **eventSubscriptions**

The list of existing event subscriptions.

Type: array of [EventSubscription \(p. 122\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: Yes

#### **resourceArn**

The ARN of the assessment template that is used during the event for which the SNS notification is sent.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

#### **topicArn**

The ARN of the Amazon Simple Notification Service (SNS) topic to which the SNS notifications are sent.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## Tag

A key and value pair. This data type is used as a request parameter in the [SetTagsForResource \(p. 84\)](#) action and a response element in the [ListTagsForResource \(p. 73\)](#) action.

### Contents

#### key

A tag key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

#### value

A value assigned to a tag key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## TelemetryMetadata

The metadata about the Amazon Inspector application data metrics collected by the agent. This data type is used as the response element in the [GetTelemetryMetadata \(p. 44\)](#) action.

### Contents

**count**

The count of messages that the agent sends to the Amazon Inspector service.

Type: Long

Required: Yes

**dataSize**

The data size of messages that the agent sends to the Amazon Inspector service.

Type: Long

Required: No

**messageType**

A specific type of behavioral data that is collected by the agent.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: Yes

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# TimestampRange

This data type is used in the [AssessmentRunFilter](#) (p. 110) data type.

## Contents

### **beginDate**

The minimum value of the timestamp range.

Type: Timestamp

Required: No

### **endDate**

The maximum value of the timestamp range.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)



# Common Parameters

The following table lists the parameters that all actions use for signing Signature Version 4 requests. Any action-specific parameters are listed in the topic for that action. To view sample requests, see [Examples of Signed Signature Version 4 Requests](#) or [Signature Version 4 Test Suite](#) in the *Amazon Web Services General Reference*.

**Action**

The action to be performed.

Type: string

Required: Yes

**Version**

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

**X-Amz-Algorithm**

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: `AWS4-HMAC-SHA256`

Required: Conditional

**X-Amz-Credential**

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: `access_key/YYYYMMDD/region/service/aws4_request`.

For more information, see [Task 2: Create a String to Sign for Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

#### **X-Amz-Date**

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value:  
20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Handling Dates in Signature Version 4](#) in the *Amazon Web Services General Reference*.

Type: string

Required: Conditional

#### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service. For a list of services that support AWS Security Token Service, go to [Using Temporary Security Credentials to Access AWS](#) in *Using Temporary Security Credentials*.

Condition: If you're using temporary security credentials from the AWS Security Token Service, you must include the security token.

Type: string

Required: Conditional

#### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

#### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Task 1: Create a Canonical Request For Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the common errors that all actions return. Any action-specific errors are listed in the topic for the action.

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 400

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **InvalidAction**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

## **InvalidClientTokenId**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

## **InvalidParameterCombination**

Parameters that must not be used together were used together.

HTTP Status Code: 400

## **InvalidParameterValue**

An invalid or out-of-range value was supplied for the input parameter.

HTTP Status Code: 400

## **InvalidQueryParameter**

The AWS query string is malformed or does not adhere to AWS standards.

HTTP Status Code: 400

**MalformedQueryString**

The query string contains a syntax error.

HTTP Status Code: 404

**MissingAction**

The request is missing an action or a required parameter.

HTTP Status Code: 400

**MissingAuthenticationToken**

The request must contain either a valid (registered) AWS access key ID or X.509 certificate.

HTTP Status Code: 403

**MissingParameter**

A required parameter for the specified action is not supplied.

HTTP Status Code: 400

**OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

**RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

**ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

**Throttling**

The request was denied due to request throttling.

HTTP Status Code: 400

**ValidationError**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400